

Exploring Cloud Computing for Naive

Reema Ajmera, Rudra Gautam

School of Computer and Systems Sciences, Jaipur, India
Vertex Business Services, Gurgaon, India

Summary

Cloud computing is a convergence of technologies and trends that are making IT infrastructures and applications more dynamic, more modular, and more consumable. It lets organizations ramp up new services and reallocate computing resources rapidly, based on business needs. It gives users self-service access to computing resources, while maintaining appropriate levels of control. And, done right, it provides the means to manage across hybrid computing environments, both on- and off-premise, based on cost, capacity requirements, and other factors. This paper aims to provide a means of understanding cloud services, solutions, benefits and challenges of cloud computing.

Index Terms

Cloud Computing, SaaS, PaaS, IaaS. Virtualization

1. Introduction

Cloud computing is the delivery of computing services over the Internet. Cloud services allow individuals and businesses to use software and hardware that are managed by third parties at remote locations. Cloud services include online file storage, social networking sites, webmail, and online business applications. The cloud computing model allows user to access information and computer resources remotely with an available network connection i.e. internet. Cloud computing provides a shared pool of resources, including data storage space, networks, computer processing power, and specialized corporate and user applications. The following definition of cloud computing has been developed by the U.S. National Institute of Standards and Technology (NIST)[5]:

Cloud computing is a model for enabling convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction.

Forrester defines cloud computing as:

A pool of abstracted, highly scalable, and managed compute infrastructure capable of hosting end-customer applications and billed by consumption. Many companies are delivering services from the cloud. Some notable examples as of 2004-05 include the following:

• Google

Has a private cloud that it uses for delivering many different services to its users, including email access,

document applications, text translations, maps, web analytics, and much more.

• Microsoft

Has Microsoft® Sharepoint® online service that allows for content and business intelligence tools to be moved into the cloud, and Microsoft currently makes its office applications available in a cloud.

• Salesforce.com

Runs its application set for its customers in a cloud, and its Force.com and Vmforce.com products provide developers with platforms to build customized cloud services.

2. Characteristics

Cloud computing has a variety of characteristics, with the main ones being:

Resource abstraction and pooling

Pooled computing resources serve multiple consumers using a multi-tenant model (whether different internal groups within one company or different organizations within a shared, public resource) with physical and virtual resources dynamically assigned and reassigned depending on demand. On-demand self service means that customers (usually organizations) can request and manage their own computing resources[4]. Pooled resources means that customers draw from a pool of computing resources, usually in remote data centres.

Network-centric/ Network Access

Whether implemented within a single organization or at a public cloud provider, cloud computing is network-centric. Services are made available over the network and accessed through standard mechanisms, typically lightweight web protocols. Needs to be accessed across the internet from a broad range of devices such as PCs, laptops, and mobile devices, using standards-based APIs (for example, ones based on HTTP)[4]. Deployments of services in the cloud include everything from using business applications to the latest application on the newest smartphones.

Simple, fast provisioning of resources/ Dynamic Provisioning

Allows for the provision of services based on current demand requirements. This is done automatically using software automation, enabling the expansion and

contraction of service capability, as needed. This dynamic scaling needs to be done while maintaining high levels of reliability and security

Rapid and elastic scaling

Uses metering for managing and optimizing the service and to provide reporting and billing information. In this way, consumers are billed for services according to how much they have actually used during the billing period.

Managed Metering/ Utility pricing

Utility pricing (also called pay-per-use) , which is at the primary billing approach used by public cloud providers. Metering at a level of abstraction appropriate to the type of service (e.g., storage, CPU usage, bandwidth, or active user accounts) may become more widespread over time as organizations learn the types of data that are most useful—whether or not the information is used for billing or just for informational purposes (often referred to as “showback”)

It uses a virtualized software model, enabling the sharing of physical services, storage, and networking capabilities. The cloud infrastructure, regardless of deployment model, seeks to make the most of the available infrastructure across a number of users. Services can be scaled larger or smaller; and use of a service is measured and customers are billed accordingly.

3. Service Models

Cloud computing the concept of being able to use reusable and fine grained component across a vender’s network. This is widely known as “as a service” Once a cloud is established, how its cloud computing services are deployed in terms of business models can differ depending on requirements. Figure 1.1. shows primary service models. IAAS gives hardware with network, hence PaaS providers put their cloud on top of it. And same is done by SaaS as well. In the same way PaaS and SaaS users are directly or indirectly using IaaS model. The IaaS, PaaS and SaaS are inter-related, and hence sometimes they work in coordinated fashion. Big giants like Amazon, Salceforce are using all three in combination. Many new bees are also adopting this and proving their presence. The primary service models being deployed are commonly known as:

Software as a Service (SaaS)

Software’s that is provided on demand for use is SaaS. Consumers purchase the ability to access and use an application or service that is hosted in the cloud. A complete application is offered to the customer, as a service on demand. A single instance of the service runs on the cloud & multiple end users are serviced. On the customers’ side, there is no need for upfront investment in


servers or software licenses, while for the provider, the costs are lowered, since only a single application needs to be hosted & maintained. Microsoft is expanding its involvement in this area, and as part of the cloud computing option for Microsoft Office 2010, its Office Web Apps are available to Office volume licensing customers and Office Web App subscriptions through its cloud-based Online Services[2]. Today SaaS is offered by companies such as Google, Salesforce, Microsoft, Zoho etc.

Platform as a Service (PaaS)

PaaS providers offer a platform for others to use. What is being provided is part operating system and part middleware. A proper PaaS provider takes care of everything needed to run some specific language or technology stack[6].

Consumers purchase access to the platforms, enabling them to deploy their own software and applications in the cloud. The operating systems and network access are not managed by the consumer, and there might be constraints as to which applications can be deployed. A layer of software or development environment is encapsulated & offered as a service, upon which other higher levels of service can be built.

The customer has the freedom to build his own applications, which run on the provider’s infrastructure. To meet manageability and scalability requirements of the applications, PaaS providers offer a predefined combination of OS and application servers, such as LAMP platform (Linux, Apache, MySql and PHP), restricted J2EE, Ruby etc. Google’s App Engine, Force.com, etc are some of the popular PaaS examples.



Infrastructure as a Service (IaaS)

Consumers control and manage the systems in terms of the operating systems, applications, storage, and network connectivity, but do not themselves control the cloud infrastructure. It also known as HaaS, Hardware as a Service.

IaaS provides basic storage and computing capabilities as standardized services over the network. Servers, storage systems, networking equipment, data centre space etc. are

pooled and made available to handle workloads [2]. The customer would typically deploy his own software on the infrastructure. Some common examples are Amazon, GoGrid, 3 Tera, etc.

5. deployment of Cloud

Deploying cloud computing can differ depending on requirements, and the following four deployment models have been identified, each with specific characteristics that support the needs of the services and users of the clouds in particular ways.

Private Cloud

The cloud infrastructure has been deployed, and is maintained and operated for a specific organization[1]. The operation may be in-house or with a third party on the premises.

Community Cloud

The cloud infrastructure is shared among a number of organizations with similar interests and requirements. This may help limit the capital expenditure costs for its establishment as the costs are shared among the organizations[1]. The operation may be in-house or with a third party on the premises.

Public Cloud

The cloud infrastructure is available to the public on a commercial basis by a cloud service provider. This enables a consumer to develop and deploy a service in the cloud with very little financial outlay compared to the capital expenditure requirements normally associated with other deployment options.

Hybrid Cloud


The cloud infrastructure consists of a number of clouds of any type, but the clouds have the ability through their interfaces to allow data and/or applications to be moved from one cloud to another. This can be a combination of private and public clouds that support the requirement to retain some data in an organization, and also the need to offer services in the cloud.

6. Solution

A cloud computing solution is made up of several elements:

clients, the datacenter, and distributed servers. As shown in Figure 1-2, these components make up the three parts of a cloud computing solution.

Each element has a purpose and plays a specific role in delivering a functional cloud based application, Clients are, in a cloud computing architecture, the exact same things that they are in a plain, old, everyday local area network (LAN).



6.1 Clients

They are, typically, the computers that just sit on your desk. But they might also be laptops, tablet computers, mobile phones, or PDAs—all big drivers for cloud computing because of their mobility.

Anyway, clients are the devices that the end users interact with to manage their information on the cloud. Clients generally fall into three categories:

Mobile

Mobile devices include PDAs or smartphones, like a Blackberry, Windows Mobile Smartphone, or an iPhone.

Thin Clients

Thin Clients are computers that do not have internal hard drives, but rather let the server do all the work, but then display the information.

Thick

This type of client is a regular computer, using a web browser like Firefox or Internet Explorer to connect to the cloud.

6.2 Datacenter

The datacenter is the collection of servers where the application to which you subscribe is housed. It could be a large room in the basement of your building or a room full of servers on the other side of the world that you access via the Internet.

A growing trend in the IT world is virtualizing servers. That is, software can be installed allowing multiple instances of virtual servers to be used. In this way, you can have half a dozen virtual servers running on one physical server.

6.3 Distributed Servers

But the servers don't all have to be housed in the same location. Often, servers are in geographically disparate locations. But to you, the cloud subscriber, these servers act as if they're humming away right next to each other.

7. Benefits

The following are some of the possible benefits for those who offer cloud computing-based services and applications:

Cost Savings - Companies can reduce their capital expenditures and use operational expenditures for increasing their computing capabilities. This is a lower barrier to entry and also requires fewer in-house IT resources to provide system support. This technology reduces the cost of computation, application hosting, content storage and delivery significantly due to billing model which is pay as per usage.

Scalability/Flexibility - Companies can start with a small deployment and grow to a large deployment fairly rapidly, and then scale back if necessary. Also, the flexibility of cloud computing allows companies to use extra resources at peak times, enabling them to satisfy consumer demands.

Reliability - Services using multiple redundant sites can support business continuity and disaster recovery.

Maintenance - Cloud service providers do the system maintenance, and access is through APIs that do not require application installations onto PCs, thus further reducing maintenance requirements. The billing model is pay as per usage and infrastructure is not purchased thus lowering maintenance.

Mobile Accessible - Mobile workers have increased productivity due to systems accessible in an infrastructure available from anywhere. It is also a convenient for telecommuters and traveling remote workers, who can simply log in and use these applications wherever they are.

8. Challenges

The following are some of the notable challenges associated with cloud computing, and although some of these may cause a slowdown when delivering more services in the cloud, most also can provide opportunities, if resolved with due care and attention in the planning stages.

Security and Privacy - Two major issues surrounding cloud computing relate to storing and securing data, and monitoring the use of the cloud by the service providers [3]. These issues are generally attributed to slowing the deployment of cloud services. The security mechanisms between organization and the cloud need to be robust and a Hybrid cloud could support such a deployment.

Lack of Standards - Clouds have documented interfaces; however, no standards are associated with these, and thus it is unlikely that most clouds will be interoperable [3]. The Open Grid Forum is developing an Open Cloud Computing Interface to resolve this issue and the Open Cloud Consortium is working on cloud computing standards and practices. The findings of these groups will need to mature, but it is not known whether they will address the needs of the people deploying the services and the specific interfaces these services need. However, keeping up to date on the latest standards as they evolve will allow them to be leveraged, if applicable.

Continuously Evolving - User requirements are continuously evolving, as are the requirements for interfaces, networking, and storage[3]. This means that a "cloud," especially a public one, does not remain static and is also continuously evolving.

Compliance Concerns - The Sarbanes-Oxley Act (SOX) in the US and Data Protection directives in the EU are just two among many compliance issues affecting cloud computing, based on the type of data and application for which the cloud is being used[3]. The EU has a legislative backing for data protection across all member states, but in the US data protection is different and can vary from state to state. As with security and privacy mentioned previously, these typically result in Hybrid cloud deployment with one cloud storing the data internal to the organization.

9. Conclusion

The key advantages for using the clouds are that our needs might be so massive that the number of servers require far exceeds our desire or budget to run those in-house and on the other hand we may only need a sip of processing power so we don't want to buy and run a dedicated server for the job. The cloud fits for both. An internet outage would affect our cloud application. In July 2008, Amazon's S3cloud storage device went down for second time that year. A lots of applications were hosted by the company and all those service could not be accessed until techs could fix the problem. Some applications were get down for eight hours. This is the major weak link for Cloud Computing.

References

- [1] "Introduction to cloud computing", <http://www.priv.gc.ac>.
- [2] Torrey Harris, "Cloud Computing an Overview",
- [3] "Introduction to cloud computing", <http://www.dialogic>.
- [4] Gordon Haff, "Introduction to cloud computing", <http://redhat.com>
- [5] NIST cloud definition, version 15 <http://csrc.nist.gov/groups/SNS/cloudcomputing/>.
- [6] Understanding Paas, Michael P. McGrath, O'Reilly



Reema Ajmera received M.Sc.(CS), M.Tech.(CS) and Doctorate (Comp. Sc. Eng.) Degrees in 2004, 2007, and 2013, respectively. After working as software developer for three years from 2004 to 2007, She joined Jaipur National University as Assistant Professor, School of Computer and Systems Sciences since 2007. Her research interest includes Agent Oriented Software Engineering, Cloud Computing, and Software Testing.